

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier:

Trench Fertiliser

1.2 Relevant uses of the substance or mixture and uses advised against:

Supplied for use as a fertiliser

1.3 Details of the supplier of the safety data sheet:

Chempak Products
Thompson & Morgan
Poplar Lane
Ipswich
Suffolk
IP8 3BU

Contact: The Safety Officer

Telephone Number: 01473 588688 (Monday – Friday 8am to 5pm)

Or visit www.chempak.com

1.4 Emergency telephone number:

Emergency Telephone Number: 01473 588688 (Monday – Friday 8am to 5pm)

2. Hazards identification

2.1 Classification of the substance or mixture

CLASSIFICATION according to Regulation (EC) 1272/2008 Classification, Labelling and Packaging

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

CLASSIFICATION according to Directive 1999/45/EC and statutory instrument No.716 2009 Chemicals (Hazard Information and Packaging) regulation

Not a hazardous substance or mixture according to Directive 1999/45/EC.

2.2 Label Elements

No labelling elements according to Regulation (EC) No. 1272/2008.

2.3 Other Hazards






According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

Mixture not classified as PBT or vPvB.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No./ EINECS-No.	Annex Index or REACH number	Symbol(s)	Phrase(s)	Concentration [%]
Ammonium Nitrate	6484-52-2 229-347-8	REACH registration number: 2119490981-27-0050	<p>According to 1272/2008: GHS03</p>  <p>GHS07</p>  <p>According to 67/548/EEC:</p>  <p>OXIDISING</p>  <p>IRRITANT</p>	<p>According to 1272/2008: Oxid. Solid 3; H272 Eye Irrit. 2; H319</p> <p>According to 67/548/EEC: R8, R36</p>	≥10 - ≤45 %
disodium tetraborate pentahydrate; borax pentahydrate	12179-04-3		<p>According to 1272/2008: GHS08</p>  <p>According to 67/548/EEC: N/A</p>	<p>According to 1272/2008: Repr. 1B; H360FD: C ≥ 4.5%</p> <p>According to 67/548/EEC: Repr. Cat. 2; R60-61</p>	≤ 2 %

All hazard information if not displayed in section 2 or 3 is displayed in Section 16.

4. First aid measures

4.1 Description of first aid measures

4.1.1 Inhalation

Keep patient calm, remove to fresh air and seek medical attention. If unconscious place in recovery position and seek medical advice.

4.1.2 Skin & Eye exposure

Skin: Wash off with soap and water

Eyes: Rinse thoroughly with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist or develop.

4.1.3 Ingestion

Wash out mouth with water and give water to drink. Do not induce vomiting. Seek medical attention if symptoms persist or develop.

4.2 Most important symptoms and effects, both acute and delayed

No information specified.

4.3 Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

5. Firefighting measures

5.1 Extinguishing media

Water spray.

5.2 Special Hazards arising from the substance or mixture

Nitrogen oxides (NO_x), Ammonia can be released in case of fire

5.3 Advice for fire-fighters

In the event of fire, wear self-contained breathing apparatus and protective suit.

Collect contaminated fire extinguishing water separately. Do not allow to enter drains or surface water.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Ensure adequate ventilation.

In case of insufficient ventilation, wear suitable respiratory equipment.

6.2 Environmental precautions

Do not empty into drains.

Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Treat the assimilated material according to the section on waste disposal.

Clear contaminated area thoroughly.

6.4 Reference to other sections

For personal protection see section 8.

7. Handling and storage

7.1 Precaution for safe handling

Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust. Wash hands before breaks and at the end of workday. Do not eat, drink or smoke in the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry place in original container. Keep away from sources of ignition - No smoking.

Keep away from combustible material. The product itself is not combustible. Protect against: UV-radiation/sunlight, heat, moisture. (This product is hygroscopic). Do not store together with:

Explosives, Oxidizing solids, Oxidizing liquids, Infectious substances, Radioactive substances, Food and fodder, Non-combustible toxic substances, Combustible toxic substances, peroxides, Pyrophoric Substances, Substances or mixtures which, in contact with water, emit flammable gases. Do not mix with other fertilisers or chemicals. Protect from contamination.

7.3 Specific end use(s)

Always read the label and product information before use.

8. Exposure controls and personal protection

8.1 Control Parameters

Exposure limits

CAS No	Components	ppm	mg/m ³	fib/cc	Category	Origin
12179-04-3	Borates, tetra, sodium salts (Pentahydrate)	-	1	-	TWA (8 h)	REL

Additional advice on limit values

Parameter:

DNEL (ammonium nitrate) = 37,6 mg/m³

Category: worker

Exposure route: inhalation.

Potential health effects: Specific effects

Exposure time: 1 d

Parameter:

DNEL (ammonium nitrate) = 21,3 mg/kg

Category: worker

Exposure route: Skin contact

Potential health effects: Specific effects

Exposure time: 1 d

DNEL (ammonium nitrate) = 12,8 mg/kg

Category: consumer.

Exposure route: Ingestion

Potential health effects: Specific effects

Exposure time: 1 d

DNEL (ammonium nitrate) = 11,1 mg/m³

Category: consumer.

Exposure route: inhalation.

Potential health effects: Specific effects

Exposure time: 1 d

8.2 Exposure controls

Occupational exposure controls:

Avoid generation of dust.

In the case of high dust generation:

In case of open handling, use devices with built-in suction where possible.

If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.

Protective and hygiene measures:

Always close containers tightly after the removal of product. Wash hands before breaks and at the end of work. Keep away from food, drink and animal feedingstuffs.

Respiratory protection:

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection required in case of:

Generation/formation of dust exceeding critical value

Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

Type: P1 or N95-N100 particle filter

Hand protection:

Hand protection: not required. Wash hands thoroughly after handling.

Eye protection:

Eye protection: not required. Avoid generation of dust.

In the case of the formation of dust: Dust protection goggles.

Skin protection:

Suitable protection of the body: Protective clothing.

Environmental exposure controls:

Do not empty into drains or the aquatic environment.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance; Granular

Colour; Variable

Odour; Odourless

Odour threshold; Information not available

pH; ~5 (100g/L) at 20 °C

Melting point/freezing; Not applicable

Initial boiling point and boiling range; Not applicable

Flash point; Not applicable

Evaporation rate; Not applicable

Flammability (solid, gas); The product is not flammable

Upper /lower flammability or explosive limits; Not applicable

Vapour Pressure; Not applicable

Vapour density; Not applicable

Specific gravity; Information not available

Solubility (ies); Soluble

Partition coefficient: n-octanol/water; Not applicable

Auto ignition temperature: Not applicable

Decomposition temperature: Information not available

Bulk density: 1150 kg/m³

9.2 Other Information

No information specified

10. Stability and reactivity

10.1 Reactivity

Information not available.

10.2 Chemical Stability

Stable under normal conditions of use.

10.3 Possibility of hazardous reactions

Hazardous reactions will not occur.

10.4 Conditions to avoid

Protect against: UV-radiation/sunlight. heat. moisture.

10.5 Incompatible materials

Materials to avoid: Reducing agents. Sulphur, chlorites, chloride, chlorates, hypochlorites, acidic or alkaline substances, flammable, oxidising substances, nitrites, metal salts, metal powders, herbicides, chlorinated hydrocarbons, organic compounds.

10.6 Hazardous decomposition products

Nitrogen oxides (NO_x), Ammonia can be released in case of fire.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Product:

LD 50: > 2000 mg/kg, Rat.

Product has not been tested. The statement is derived from products of similar structure or composition.

Ammonium nitrate

CAS No 6484-52-2:

Oral LD50 2950 mg/kg Rat. (OECD- 401)

Dermal LD50 >5000 mg/kg Rabbit. (OECD- 402)

Inhalation (4 h) LC50 > 88,8 mg/l Rat.

Disodium tetraborate pentahydrate; borax pentahydrate

CAS No 12179-04-3:

Oral LD50 3200 - 3400 mg/kg Rat.

Dermal LD50 >2000 mg/kg Rabbit.

Inhalation LC50 > 2 mg/l Rat. (OECD 403)

Specific effects in experiment on an animal:

No information available.

Trench Fertiliser SDS

SDS completed: 14/11/2014

Version: 01 Revision: N/A

Supersedes SDS Dated: N/A

Irritation and corrosivity:

Product:

Irritant effect on the eye: Not an irritant. (OECD 405)

Irritant effect on the skin: Not an irritant. (OECD 404)

Product has not been tested. The statement is derived from products of similar structure or composition.

Disodium tetraborate pentahydrate; borax pentahydrate:

Irritant effect on the eye: irritant.

Irritant effect on the skin: Not an irritant.

Ammonium nitrate

Irritant effect on the eye: irritant. (OECD 405)

Irritant effect on the skin: Not an irritant. (OECD 404)

Sensitising effects:

Product is not sensitising

The statement is derived from the properties of the components.

Severe effects after repeated or prolonged exposure:

Ammonium nitrate:

Subacute oral toxicity: NOAEL > 1500 mg/kg (Rat., 28d)

Chronic oral toxicity: NOAEL = 256 mg/kg (Rat., 52 w)

Subacute inhalative toxicity: NOAEL > 185 mg/kg (Rat., 14d)

Carcinogenic/mutagenic/toxic effects for reproduction:

Ammonium nitrate:

In-vitro mutagenicity: Ames test negative. (OECD 471)

Disodium tetraborate pentahydrate; borax pentahydrate:

Evidence for: In-vitro mutagenicity

12. Ecological information

12.1 Toxicity

Product is not classified as hazardous to the aquatic environment.

Ammonium nitrate

CAS No 6484-52-2:

Acute fish toxicity LC50 >100 mg/l 96

Acute algae toxicity ErC50 1700 mg/l 72 Selenastrum capricornutum

Acute crustacea toxicity EC50 490 mg/l

Disodium tetraborate pentahydrate; borax pentahydrate

CAS No 12179-04-3:

Acute fish toxicity LC50 74 mg/l 96 Limanda limanda

Acute algae toxicity EC10 24 mg/l 96 algae

Acute crustacea toxicity EC50 242 mg/l 24 Daphnia magna

12.2 Persistence and degradability

The product acts as a fertiliser in the soil and is degraded within a few weeks.

12.3 Bioaccumulative potential

No indication of bio-accumulation potential.

12.4 Mobility in soil

Information not available

12.5 Results of PBT and vPvB

Not classified

12.6 Other adverse effects

Depending on local conditions and existing concentrations, in the case of discharge into biological sewage treatment plants, problems in the decomposition activity of activated sludge are possible.

The Product is not acutely harmful with a high probability to aquatic organisms. At higher pH values, as they occur naturally in water, an increase in toxicity to aquatic organisms is expected.

13. Disposal considerations

13.1 Waste Treatment Methods

Dispose of contents/container in accordance with local and national regulations. Cleaned containers may be recycled.

14. Transport information

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: No information available

14.3 Transport hazard: No information available

14.4 Packing group: -

14.5 Environmental hazards: Not a marine pollutant

14.6 Special precautions for user: No Information available

14.8 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: No information available

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. This substance/mixture is classified and labelled in accordance with Regulation EC 1272/2008, Directive 1999/45/EC, the statutory instrument No.716 2009 Chemicals (Hazard Information and Packaging) regulations and the EC Fertiliser Regulations 2003, Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2 Chemical Safety Assessment

CSA not undertaken for this product

16. Other information

Full text of R-phrases referred to under sections 2 and 3

- R 8 Contact with combustible material may cause fire.
- R36 Irritating to eyes.

Full text of H-Statements referred to under sections 2 and 3.

- H272 May intensify fire; oxidiser.
- H319 Causes serious eye irritation.

SDS information:

This Safety data sheet is compiled using data submitted for raw materials and practical experience.

This Safety Data Sheet is prepared in compliance with Directive 1999/45/EC, Regulation 1272/2008 and Annex I of the REACH Regulation 453/2010.

The information given herein is, to the best of our knowledge, correct and is presented in good faith but no warranty, expressed or implied is given.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty of quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.